

**Climax Metal Products Company**

8141 Tyler Boulevard  
Mentor, Ohio 44060  
USA

Toll free: 800-542-6552

Phone: 440-585-0300

Fax: 800-860-5553

Email: [sales@climaxmetal.com](mailto:sales@climaxmetal.com)

Website: [www.climaxmetal.com](http://www.climaxmetal.com)

## ITEM # SD-008008-04NL, NUT LOCK TYPE RUBBER EXPANSION SANDING DRUM WITH SHANK - TYPE 1

For mounting abrasive spiral bands. Spiral bands are secured in place by controlled expansion of the solid rubber drum spindle. Rubber expansion is controlled by tightening/loosening of the hex nut. The rubber spindles is seated directly on the drive mandrel/arbor. Rubber provides cushion for smooth, even finish.

[View Catalog Page](#)




[Drawing](#) | [Dimensions](#) | [Specifications](#) | [Regulation & Compliance](#)

Drawing

-

## Dimensional Drawing



Need Help?

Nut Lock Type Rubber Expansion Sanding Drum with Shank

## Dimensions

**Shank Dia.** 1/4 in

**Drum Dia.** 1/2 in

**Drum Width** 1/2 in

## Specifications

**UPC Code** 044861030936

**Downloads** [Catalog Page](#)

## Regulation & Compliance

[REACH Compliance Statement](#)

[RoHS 3 Compliance Statement](#)

[Disclosure of Conflict Minerals and Materials](#)

[California Proposition 65 Warning](#)

[Toxic Substances Control Act TSCA](#)

[DFARS Compliance Statement](#)

[Safety Data Sheet](#)

[ISO Certificate](#)

