

**Climax Metal Products Company**

8141 Tyler Boulevard
Mentor, Ohio 44060
USA

Toll free: 800-542-6552

Phone: 440-585-0300

Fax: 800-860-5553

Email: sales@climaxmetal.com

Website: www.climaxmetal.com

ITEM # SD-008016-04NL, NUT LOCK TYPE RUBBER EXPANSION SANDING DRUM WITH SHANK - TYPE 1

For mounting abrasive spiral bands. Spiral bands are secured in place by controlled expansion of the solid rubber drum spindle. Rubber expansion is controlled by tightening/loosening of the hex nut. The rubber spindles is seated directly on the drive mandrel/arbor. Rubber provides cushion for smooth, even finish.

[View Catalog Page](#)




[Drawing](#) | [Dimensions](#) | [Specifications](#) | [Regulation & Compliance](#)

Drawing

—

Dimensional Drawing



 **Need Help?**

Nut Lock Type Rubber Expansion Sanding Drum with Shank

Dimensions

Shank Dia.	1/4 in
Drum Dia.	1/2 in
Drum Width	1 in

Specifications

UPC Code	044861014875
-----------------	--------------

Downloads	Catalog Page
------------------	------------------------------

Regulation & Compliance

[REACH Compliance Statement](#)

[RoHS 3 Compliance Statement](#)

[Disclosure of Conflict Minerals and Materials](#)

[California Propostion 65 Warning](#)

[Toxic Substances Control Act TSCA](#)

[DFARS Compliance Statement](#)

[Safety Data Sheet](#)

[ISO Certificate](#)

--