

**Climax Metal Products Company**

8141 Tyler Boulevard  
Mentor, Ohio 44060  
USA

Toll free: 800-542-6552

Phone: 440-585-0300

Fax: 800-860-5553

Email: [sales@climaxmetal.com](mailto:sales@climaxmetal.com)

Website: [www.climaxmetal.com](http://www.climaxmetal.com)

## ITEM # SD-016016-04QL, QUICK LOCK TYPE RUBBER EXPANSION SANDING DRUM WITH SHANK

For mounting abrasive spiral bands. Spiral bands are secured in place by controlled expansion of the solid rubber drum spindle. Rubber expansion is controlled by simple twisting the rubber spindle by hand. No tools are necessary. The rubber spindle is seated directly on the drive mandrel/arbor. Rubber provides cushion for smooth, even finish.


[View Catalog Page](#)



[Drawing](#) | [Dimensions](#) | [Specifications](#) | [Regulation & Compliance](#)

Drawing

-



 [Chat with us!](#)

## Dimensional Drawing

Quick Lock Type Rubber Expansion Sanding Drum with Shank

## Dimensions

**Shank Dia.** 1/4 in

**Drum Dia.** 1 in

**Drum Width** 1 in

## Specifications

**UPC Code** 044861028032

**Downloads** [Catalog Page](#)

## Regulation & Compliance

[REACH Compliance Statement](#)

[RoHS 3 Compliance Statement](#)

[Disclosure of Conflict Minerals and Materials](#)

[California Proposition 65 Warning](#)

[Toxic Substances Control Act TSCA](#)

[DFARS Compliance Statement](#)

[Safety Data Sheet](#)

[ISO Certificate](#)

