

## Pulp Hook

**A versatile**, general purpose material handling hand tool for use in wood and other materials.


Item #	Description	Approx. wt. ea.	Pack
<b>24358</b>	11" Abbott Pulp Hook	1.3 lbs	6
<b>24361</b>	16" Bentley Pulp Hook	1.7 lbs	6



## Log Grab & Assembly

Offered with or without chain.

Item #	Description	Dimensions	WLL	Approx. wt. ea.
<b>44100</b>	#1 Log Grab	----	NA	2.0 lbs.
<b>44105</b>	Log Grab Assembly	5/16" G7x36"	4,700 lbs.	6.3 lbs.



## Wedges

Log splitting tools for any situation.



Aluminum Wedge



Plastic Wedges

Item #	Length	Width	Head	Approx. wt. ea.	Pack
<b>Aluminum Wedges</b>					
Non-sparking #713 aluminum alloy, safer than either steel or magnesium. Will not harm teeth of chain saw on accidental contact.					

**49902** 7" 3 1/2" 1 1/8 x 1 1/8" 1.2 lbs 12

Warning: Always use eye protection when using wedges.

Item #	Length	Width	Head	Approx. wt. ea.	Pack
<b>Plastic Chain Saw Wedges</b>					
High density polyethylene plastic for maximum strength and resistance to "mushrooming" when driven with a hammer.					
<b>49914</b>	10 5/16"	3 3/32"	1 1/64	.6 lbs	12
<b>49915</b>	7 1/2"	2 3/4"	1 1/8	.4 lbs	12

## Forged Rings

### Tong Replacement Part

Weldless Rings, drop forged of high carbon steel to provide consistent grain flow. 5:1 design factor.

Item #	Material Dia.	Inside Dia.	For Use w/ Tong #	Weight per 100 pcs.	WLL	Pack
<b>43709</b>	1/2"	2 1/2"	40005	64 lbs	5,000 lbs.	12
<b>43809</b>	5/8"	2 3/4"	40225, 42315	99 lbs	7,000 lbs.	12
<b>43009</b>	3/4"	3"	42815	156 lbs	10,000 lbs.	12
<b>43109</b>	7/8"	3 1/4"	40455, 42805	250 lbs	14,500 lbs.	12
<b>43209</b>	1"	4"	40555, 42825	377 lbs	18,000 lbs.	12

**Warning:** Not to be used for overhead lifting.



## Swivel Hooks

### Tong Replacement Part

Drop forged from carbon steel, this assembly is specially designed to be used with skidding tongs.

Item #	Material Dia.	Inside Dia.	For Use w/ Tong #	Weight per 100 pcs.	WLL	Pack
<b>43794</b>	1/2"	2 1/2"	40005	64 lbs	5,000 lbs.	12
<b>43594</b>	5/8"	2 3/4"	40225, 42315	99 lbs	7,000 lbs.	12

**Warning:** Not to be used for overhead lifting.

