


Rebar Cutter/Bender

Cuts and bends rebar up to 5/8" diameter all in one tool. Made of cast iron construction and shipped mounted on wood board (66"x7-1/2"). Weight 70 lbs.

No.	Description
GG725	Rebar Cutter/Bender
GG726	Replacement Jaws (1 pair)
GG725-01	54" Metal Replacement Handle



Top-Loading Rebar Cutter/Bender

Cuts and bends rebar up to 5/8" diameter. Top loading of rebar makes for fast and easy cutting. Tool is made of heavy-duty castings and shipped mounted on wood board (66"x7-1/2"). Weight 55 lbs.

No.	Description
GG729	Top-Loading Rebar Cutter/Bender
GG729-01	Replacement Cutter Blades, Steel (1 pair)
GG727-01	48" Metal Replacement Handle



Economy Rebar Cutter/Bender

Top loading open style rebar cutter cuts and bends up to 5/8" diameter rebar. Two open cutting slots make for fast easy loading. Chain secures the handle to the base for easy transport. Comfortable rubber grip handle. Secure to your work bench, truck, or a board for more stability. Weight 53 lbs.

No.	Description
GG730*	Top-Loading Rebar Cutter/Bender



Rebar Lifter Hook

Hook provides leverage to lift rebar and wire mesh. Fitted with heavy-duty 60" wood handle.

No. GG635

*See page 178

"Big John" and "Little John" Pry Bars

All Steel

Heavy-Duty Pry Bars

Strong Tubular Handles

Made In USA

All purpose tool ideal for prying forms and other construction jobs. Specially designed 3" wide blade angle and hardened steel claw make for easy prying.

"Big John" Heavy-Duty Pry Bar

No.	Description
GG630	56" Length 14 lbs.

"Little John" Pry Bar

No.	Description
GG631	46" Length 7 lbs.



Economy Pry Bars

Lighter weight pry bar with 3" wide blade for ease in prying.

No.	Description	NEW
GG630E*	56" Length 12 lbs.	
GG631E*	46" Length 6 lbs.	

Rocker Head Pry Bar

Extra heavy-duty. Unique rocker head for more power without blocking. Unique push/pull action makes even the toughest job simple. Open claw design works in tight places. Double claw for hard-to-reach areas.


No.	Size
GG632	30"
GG634	48"



Rebar Bender

Strong, light, easy and simple to use. 3 prong and 1 prong triangular head is easy to use. Completely portable. Can be used anywhere on the job. 34" length provides enough leverage to bend 5/8" reinforcing bar.

No. GG629



CONCRETE SPREADERS AND PLACERS



Right Angle Placer™

- 60 degree blade keeps tool at just the "right angle" to spread and level concrete
- Heavy-duty aluminum blade and braces for added strength
- Blade is welded to a 60", 1-3/8" diameter anodized aluminum handle with textured foam grip

No. Size

CC964**	19-1/2" without Hook
CC965**	19-1/2" with Hook

**Assembled spreaders ship via oversized rate or truck

Packed 5 per bundle



Cardinal™ Aluminum Placer

.125" Aluminum

- Heavy gauge aluminum with reinforced rib construction formed for easy pulling, leveling and placing of concrete
- Sturdy, oversize, large diameter 60" wood handle with 2 bolt attachment

No.	Description
CC936	19-1/2"x4-1/2"
CC936-01	Blade ONLY
CC936-02	Handle ONLY
CC936A**	Placer Assembled

**Assembled spreaders ship via oversized rate or truck

Packed 5 per carton or 5 per bundle assembled

Lightweight Aluminum Concrete Spreader

- Made of strong, lightweight aluminum
- Two heavy-duty aluminum braces for added strength
- 54" wood jam handle

No. Size

CC904	19-1/2"x4" without Hook
CC905	19-1/2"x4" with Hook
CC107	54" Replacement Handle
CC904A**	Spreader without Hook Assembled
CC905A**	Spreader with Hook Assembled

**Assembled spreaders ship via oversized rate or truck


GOLD STANDARD™ Concrete PLACER

- Made of strong, lightweight aluminum
- Blade is welded to a 60", 1-3/8" diameter anodized aluminum handle with textured foam grip
- Heavy-duty aluminum blade and braces for added strength

No. Size

CC944**	19-1/2"x4" without Hook (Assembled)
CC945**	19-1/2"x4" with Hook (Assembled)
CC944-30**	30"x4" Wide Blade without Hook (Assembled)

**Assembled spreaders ship via oversized rate or truck



Packed 5 per bundle

Mega Mover™ Concrete Placer

- Blade bent to proper angle to move maximum amount of material
- Available in aluminum or steel
- Includes 60" heavy-duty shovel-type wood handle with bracket
- Bracket creates a secure connection for easy assembly
- Blade measures 20"x5"
- Add "01" to part no. for head only

No. Description

No.	Description	Blade Edge
CC977	Aluminum	Standard Teeth
CC978	#14 Gauge Steel	Smooth
CC979	Aluminum	Smooth
CC977A**	Aluminum (Assembled)	Standard Teeth
CC978A**	#14 Gauge Steel (Assembled)	Smooth
CC979A**	Aluminum (Assembled)	Smooth
CC977-02	60" Wood Handle with Adapter and Hardware	

**Assembled spreaders ship via oversized rate or truck



Packed 5 per carton or 4 per bundle assembled

Concrete Placer with Fiberglass Handle

- Made of strong, lightweight aluminum
- Blade features heavy-duty aluminum bracing
- Fitted with 54" reinforced Fiberglass® handle

No. Size

CC904AF**	19-1/2"x4" without Hook (Assembled)
CC905AF**	19-1/2"x4" with Hook (Assembled)

**Assembled spreaders ship via oversized rate or truck



Packed 5 per bundle

CONCRETE KUMALONG® AND RAKES

Packed 3 per bundle

Cali Kumalong® Concrete Spreader #14 Gauge Steel Blade

- Made of strong and heavy-duty, yet lightweight steel
- Double-edged blade doubles the blade life
- Comes with 60" heavy-duty pinned wood handle to prevent spinning

No.	Size
CC917**	19-1/2" x 4" (Assembled)

**Assembled spreaders ship via oversized rate or truck

Concrete Displacer (Steel) #14 Gauge Steel Blade

- Strong reinforced rib construction on 14 gauge steel blade
- Comes with 54" wood jam handle
- Ships unassembled

No.	Size
CC019	19-1/2" x 4" with Hook
CC009	19-1/2" x 4" without Hook
CC107	54" Replacement Handle

Packed 5 per carton

Concrete Rake Magnesium or Steel

- Well-constructed rake is preferred for ease of movement
- Place material with one side, rake with the other side
- Includes 54" wood jam handle
- Ships unassembled

No.	Size	Material
CC010	22-1/2" x 5"	Steel
CC113	19-1/2" x 4"	Magnesium
CC114	24" x 4"	Magnesium
CC107	Replacement Handle	

Packed 5 per carton

The Kumalong® (Steel) Concrete Spreader

The "Original" Concrete Spreader

- Sturdy, lightweight tool spreads and grades concrete
- Made of #14 gauge, cold rolled steel
- Comes with 54" wood jam handle

No.	Size
CC105	19" x 4" with Hook
CC106	19" x 4" without Hook
CC107	Replacement Handle



Packed 5 per carton

Heavy-Duty (Steel) Concrete Spreader

- Made of 12 gauge, cold rolled steel
- Comes with 60" or 48" heavy-duty shovel-type wood handle

60" Heavy-Duty Wood Handle

No.	Size
CC901	20" x 5" without Hook
CC902	20" x 5" with Hook
CC901-02	Repl. Handle/Ferrule w/o Hook
CC902-02	Repl. Handle/Ferrule w/ Hook
CC901A**	20" x 5" w/o Hook (Assembled)
CC902A**	20" x 5" w/ Hook (Assembled)



Packed 5 per carton or 3 per bundle assembled

48" Wood Handle

No.	Size
CC901-48	20" x 5" without Hook
CC902-48	20" x 5" with Hook
CC901-04	Repl. Handle/Ferrule w/o Hook
CC902-04	Repl. Handle/Ferrule w/ Hook
CC901A-48**	20" x 5" w/o Hook (Assembled)
CC902A-48**	20" x 5" w/ Hook (Assembled)

**Assembled spreaders ship via oversized rate or truck

Concrete Spreader (Steel)

#14 Gauge Steel Blade

- Made of 14 gauge, cold rolled steel
- Two metal braces for added strength
- Comes with 54" heavy-duty shovel-type wood handle

No.	Size
CC903	19-1/2" x 5"
CC903A**	Spreader Assembled

**Assembled spreaders ship via oversized rate or truck



Packed 5 per carton or 4 per bundle assembled

Magnesium Tri Level Placer

- Float, screed, and level concrete with this versatile placer
- Adjust height of handle to engage surface of tool or to engage point of triangle for checking flatness
- Fitted with 60" wood handle
- Ships unassembled

No.	Size
CC932	24" Blade Length
CC933	30" Blade Length
CC934	36" Blade Length
CC935	42" Blade Length
CC933-02	60" Replacement Wood Handle

**Genuine EXTRU-LITE™
MAGNESIUM**



Packed 5 per bundle
Add "01" after part no. for placer without handle

THREADED EXTENSION HANDLES

Magnesium is 30% Lighter Than Aluminum

Magnesium Threaded

1-3/4" Diameter

- Lightest handle - available in 6 sizes
- Magnesium won't turn hands black from oxidation
- Threaded handles are lightweight and extra strong
- Fits bull float and fresno threaded brackets and can be combined with 1-3/4" float handles made by other manufacturers
- Molded thread plugs in each end join handles together

1-3/4" Diameter

No.	Size
CC224	4'
CC225	5'
CC226	6'
CC227	8'
CC228**	10'
CC229**	12'

**Must ship via truck

**GENUINE EXTRU-LITE™
MAGNESIUM**

Handle Cleaning Brush

Ideal brush for cleaning out concrete that collects inside threaded and button handles. Stiff, rigid plastic bristles clean without damaging handles.

No.	Length
BL434	15"



See More Handles

Clevis Handles Pages 58, 67

Broom Handles Page 46

Silver
Aluminum

Red
Anodized

Blue
Anodized

Aluminum Threaded

1-3/4" or 1-1/4" Diameter

- Molded thread plugs in each end join handles together
- Fits bull float/fresno threaded brackets and can be combined with 1-1/4" or 1-3/4" float handles made by other manufacturers

1-3/4" Diameter Silver Aluminum

No.	Size
CC234	4'
CC236	6'
CC238	8'
CC239**	10'

1-1/4" Diameter Silver Aluminum

No.	Size
CC668	4'
CC670	6'

**Must ship via truck

1-3/4" Diameter Red Anodized

No.	Size	Color	Condition
CC234R	4'	Red Anodized	NEW
CC236R	6'	Red Anodized	NEW

1-1/4" Diameter Blue Anodized

No.	Size	Color	Condition
CC670B	4'	Blue Anodized	NEW



Threaded
Handle

Button
Handle

Adapter

Fiberglass Threaded And Button

1-1/2" Diameter

- Fiberglass threaded handle for use with bull floats and brackets

Threaded Handle

No.	Size
CC672	6' Handle

Button Handle (use with Adapter)

No.	Size
CC674	6' Handle

Button Handle Adapter

Small side of the adapter connects to 1-3/8" Button Handles; larger side connects to 1-3/4" Button Handles. Use this adapter to connect large and small button handles to each other with a secure connection. This unique adapter also allows users of Kraft Tool's Fiberglass Button Handles to connect their handles to Button Bull Float Brackets including all Double Tilt Brackets. The adapters overall length is 13-1/2".

No. CC675

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

Proudly Made In The USA



Anodized Aluminum Button

1-3/8" Diameter Swaged

- Anodized aluminum which prevents hands from turning black caused by oxidation
- Swaged ends nest and snap together with spring lock buttons
- Popular Western Style

1-3/8" Diameter Silver Anodized

No.	Size
CC336	6' Handle
CC331	8' Handle
1-3/8" Diameter Blue Anodized	
No.	Size
CC330B	4' Handle
CC336B	6' Handle
CC331B	8' Handle
CC239B**	10' Handle
CC336-01	Single Button Clip

**Must ship via truck



High-Visibility Orange Powder Coated Aluminum Swaged Handle

1-3/4" or 1-3/8" Diameter

1-3/4" Diameter		1-3/8" Diameter	
No.	Size	No.	Size
CC289SO	6'	CC336SO	6'
CC293SO	8'		

CC289-01 Double Button Clip
CC336-01 Single Button Clip

Anodized Aluminum Button

1-3/4" Diameter Swaged

- Anodized aluminum which prevents hands from turning black caused by oxidation
- Swaged ends nest and snap together with spring lock buttons
- Lightweight aluminum button handles for use with Kraft double tilt action float brackets

1-3/4" Diameter Silver Anodized

No.	Size
CC289S	6' Handle
CC293S	8' Handle
CC291S**	10' Handle

1-3/4" Diameter Blue Anodized

No.	Size
CC283SB	4' Handle
CC289SB	6' Handle
CC293SB	8' Handle
CC291SB**	10' Handle

1-3/4" Diameter Red Anodized

No.	Size
CC289SR	6' Handle
CC293SR	8' Handle
CC291SR**	10' Handle

CC289-01 Double Button Clip

**Must ship via truck



Button Handle with Insert

GOLD STANDARD™
Aluminum BUTTON

Gold Anodized Aluminum Button

1-3/4" Diameter Swaged

- Anodized aluminum which prevents hands from turning black caused by oxidation
- Swaged ends nest and snap together with spring lock buttons
- Lightweight aluminum button handles for use with Kraft double tilt action float brackets

1-3/4" Diameter Gold Anodized

No.	Size
CC289SG	6' Handle
CC293SG	8' Handle
CC291SG**	10' Handle

CC289-01 Double Button Clip

**Must ship via truck



Gold Anodized

CAUTION: Metal extension handles/adapters should not be used near electrical wiring.

Proudly Made In The USA

HANDLE ADAPTERS

1-3/4" Diameter Aluminum Adapters

Threaded to Button Handle Adapters

- Adapters allow finisher to use lightweight button handles with threaded-type bracket assemblies
- Allows threaded handles to be used with Double Tilt Brackets

No.	Description
CC286	Male
CC285	Female



Clevis to Button Handle Adapter

- Adapts clevis style tools to 1-3/4" snap style handles

No. CC284



Male Threaded to Button Handle Adapter

Fits 1-3/8" and 1-3/4" Handles

- Versatile adapter allows finisher to use lightweight button handles with threaded-type bracket assemblies
- Fits Double Tilt Brackets, for use with threaded handles.

No. CC339



NEW

1-3/8" Diameter Handle Adapters

Clevis to Button Handle Adapter

This adapter is for use with clevis tools. Use with walking edgers, walking groovers, brooms, fresnos, and other tools with post-type or angle connectors. New narrow adapter for tighter tolerances.

No.	Description
CC332	8" Clevis
CC332L	12" Clevis
CC332N	8" Narrow Clevis
CC332LN	12" Narrow Clevis

NEW **NEW**



Threaded to Button Handle Adapter

This adapter can be used with 1-3/8" button handles and other similar handles. It is used to convert threaded float brackets for use with button handles. Allows threaded handles to be used with Double Tilt Brackets.

No.	Description
CC333	Female
CC334	Male

Clevis to Threaded Handle Adapter

This adapter converts clevis tools such as trowels, fresnos, walking edgers, walking groovers, and brooms for use with threaded handles.

No.	Description
CC335	Clevis / Female
CC337	Clevis / Male



EZY-Tilt® Fresno/Broom Adapter

Accepts 1-3/8" and 1-3/4" diameter button handles to fit fresnos, brooms, walking edgers and groovers.

No. CC295

Fresno Adapter

Adapts fresnos, brooms, walking edgers and groovers to fit threaded bull float handles.

No. CC662

Fresno Bracket

360° all-angle bracket. Toothed bracket tightens to sets and keeps a desired angle. Made from cast aluminum for longer wear.

No.	Bracket (w/Hardware)
CC298	Top Half (Only)
CC288	Bottom Half (Only)
CC300	

Hardware included with CC298 only

WITH DOUBLE
TIILT ACTION**BUTTON HANDLE
FLOAT BRACKETS**

1-3/8" handle fits inside




1-3/4" handle fits outside

ALL Double Action Tilt Brackets accept handles inside or outside of the bracket!**Use them with any 1-3/8" or 1-3/4" button handles!****Knucklehead® II Bull Float Bracket****"The Original"**Lighter design helps to eliminate concrete build up!
Fits all 2 or 4 hole bull floats. No adapter needed.

- Made of rugged lightweight cast aluminum
- One to one turning ratio of handle and pitch of blade
- Protected grease reservoir for longer wear
- Turning handle eliminates bending and lifting

No. CC296

US Patent
#4,335,485**Knucklehead® II Rebuild Kit**

Extend the life of your tool. Includes plastic bushing and snap rings.

No. CC296K

Mini Orbit-er™**Single Action Tilt Bracket**

- 180 degree tilting action for floats, fresnos, brooms, and clevis tools
- Twist to lock angle into place

No. Size
 CC682* 1-3/8"
 CC683* 1-3/4"

**EZY-Tilt® II**

- Made of rugged lightweight aluminum
- One to one turning ratio of handle and pitch of blade
- Eliminates bending and lifting
- Chain prevents over extension of bracket
- Designed to fit all 2 or 4 hole bull floats

No. CC294

**EZY-Tilt®**

- Made of rugged lightweight aluminum
- Pitch of blade controlled by turning handle
- Eliminates bending and lifting
- Chain prevents over extension of bracket
- Fits only 2 hole bull floats
- Converter plate (CC287) required when mounting to a 4 hole bull float

No. CC290

**Converter Plate**

Use to convert a 4-hole mount to a 2-hole mount for more versatility. Plate is 5" x 4". Hardware not included.

No. CC287

**Orbit-er™
Tilt Bracket**

- For floating flush against the wall
- Quick and easy turning action
- Pitch of float blade controlled by turning handle
- Notched fabrication prevents over extension of gears
- Fits ALL 2 or 4 hole floats

No. CC270*



**WITH SINGLE
TILT ACTION** **FLOAT AND FRESNO
BRACKETS**

**Threaded Fresno
or Broom Bracket**

Attach to fresno or broom to lock the handle at the best angle. Use with 1-1/4" and 1-3/4" threaded handles.

No. CC665



**Button Fresno
or Broom Bracket**

Attach to single action fresno or broom to lock the handle at the best angle. Use with 1-3/8" and 1-3/4" button handles.


No. CC666



**Button Handle
Float Brackets**

Quick and easy coupling of both 1-3/8" or 1-3/4" button handles. Handle sockets adjust 180° and locks in place to desired angle.

No.	Description
CC696	A) Complete 4-Hole Bracket
CC697	B) Complete 2-Hole Bracket
CC698	Button Handle Socket (only)



**Threaded Handle
Float Brackets**


Handle socket fits all 1-1/4", 1-1/2" or 1-3/4" threaded extension handles. Handle sockets adjust 180° and locks in place to desired angle.

A) 2-Hole Bracket

No.	Description
CC676	Complete 2-Hole Bracket
CC678	Threaded Handle Socket (only)
CC681	Bracket Base (only)

B) 4-Hole Bracket

No.	Description
CC800	Complete 4-Hole Bracket
CC678	Threaded Handle Socket (only)
CC679	Bracket Base (only)



**MULTI-TWIST™
BRACKETS**



Multi-Twist™

Rotating Concrete Tool Brackets

These small brackets rotate 360° to work from all angles. Attach brackets to brooms, bull floats, fresnos, or walking edgers and groovers. Twist the handle to tighten and set any angle. Adapters are required, and connect to push button or threaded handles.

A) Clevis Handle Bracket

Use with walking groovers, edgers, brooms and tools with clevis brackets.

No. CC686*

B) 6-Hole Handle Bracket

Fits all 2 or 4 hole floats.

No. CC687*

C) 2-Hole Handle Bracket

Attach to fresnos, bull floats or brooms.

No. CC688*

D) Push Button Handle Adapter

Connects to 1-3/8" and 1-3/4" button extension handles.


No. CC689*

E) Threaded Handle Adapter

Connects to all threaded bull float handles.

No. CC685*

**Multi-Twist™
Tool Brackets
MUST be used
with adapter**



Tools sold separately



Proudly Made In The USA

*See page 178

**GENUINE EXTRU-LITE™
MAGNESIUM**

MAGNESIUM IS 30% LIGHTER
THAN ALUMINUM

MULTI-RIBBED FOR EXTRA STRENGTH
BROKEN-IN BLADE

BULL FLOATS



Add "01" after part number for float without bracket



Add "BT" after part number for button float bracket (CC696)

Magnesium Bull Float

4-Hole Bracket

- Lightweight and longer lasting than aluminum alloy
- Float blade is "broken-in", curved and balanced to prevent digging
- Comes complete with 4-hole bracket assembly (CC800)
- Use with threaded handles or adapters
- Floats will accept any 4-hole adjustable tilting handle bracket (see pages 25-26)

Square End

No.	Size
CC735	36"x8"
CC801	42"x8"
CC745	45"x8"
CC802	48"x8"
CC754	54"x8"
CC760	60"x8"
CC761	72"x8"
CC802NP	48"x8" (NO PAINT)

Round End

No.	Size
CC736	36"x8"
CC742	42"x8"
CC743	45"x8"
CC803	48"x8"
CC744	54"x8"
CC804	60"x8"
CC808	72"x8"
CC803NP	48"x8" (NO PAINT)

**GENUINE EXTRU-LITE™
MAGNESIUM**



Magnesium Bull Float

2-Hole Bracket

- Multi-ribbed top provides extra strength
- 30% lighter than aluminum
- Complete with 2-hole threaded bracket assembly (CC676)
- Use with threaded handles or adapters

No.	Size
CC805	42"x8"
CC806	48"x8"
CC807	60"x8"

Add "01" after part number for float without bracket



Add "01" after part number for float without bracket



Aluminum Bull Float

4-Hole Bracket

- Multi-ribbed for extra strength
- Lightweight but strong; engineered for proper balance and long wear
- Complete with 4-hole threaded bracket assembly (CC800)
- Use with threaded handles or adapters

No.	Size
CC771	42"x7-1/4"
CC773	48"x7-1/4"

Big "D" Blue Steel Bull Float


With EZY-Tilt® II Bracket

- Carbon blue steel blade with rounded ends for producing a super smooth finish
- Heavy-duty 4" C-Channel design for extra rigidity and flatness
- Fitted with Kraft EZY-Tilt® II bracket (CC294). Use with button handles or adapters (pages 22-24)

No.	Size
CC748	36"x12"
CC750	48"x12"
CC749	60"x12"
CC751	72"x12"

Add "01" after part number for float without bracket

Heavy-duty 4" wide C-Channel design for extra rigidity and flatness



Fresno Float Weight

Fits in Big "D" channel. 5 lb. iron weight. Using 2 for balance is recommended.

No. CC755 (Each)



CAUTION: Metal extension handles/adapters should not be used near electrical wiring

Proudly Made In The USA

Magnesium Channel Float

Special Design Improves Flatness

- Great finishing tool - extra strong
- Ideal for many jobs such as flatwork, paving, etc.
- 2" tall sides for rigidity
- Broken-in rounded edges with EZY-Tilt® II bracket (CC294)
- 8' and 10' include support braces, bearing collar, and handle for easy float adjustment.

No. **Size**

CC044	48"x6"
CC045	60"x6"
CC046	72"x6"
CC048	96"x6" Includes (1) 8' Button Handle (CC293) and 4' Braces
CC050**	120"x6" Includes (1) 10' Button Handle (CC291) and 4' Braces

**Must ship via truck



Add "01" after part number for float without bracket



Magnesium Dual Edge Channel Float

With Knucklehead® II Bracket

- Rounded front edge for floating
- Square 90 degree back edge for finishing
- 2" tall sides for rigidity
- Great tool for finishing floors requiring high "F" numbers
- Fitted with Knucklehead® II bracket (CC296)
- 8' and 10' include support braces, bearing collar, and handle for easy float adjustment.

No. **Size**

CC044SR	48"x6"
CC045SR	60"x6"
CC046SR	72"x6"
CC048SR	96"x6" Includes (1) 8' Button Handle (CC293) and 4' Adjustable Braces
CC050SR**	120"x6" Includes (1) 10' Button Handle (CC291) and 4' Adjustable Braces

**Must ship via truck



Add "01" after part number for float without bracket



END VIEW

Rounded Front Edge 90° Squared Back Edge

Extruded Magnesium Walking Float

Square End or Round End

This lightweight magnesium float is perfect for floating small areas of concrete. Fitted with our 360° all-angle bracket, which lets you work at any angle. Unique T-Channel design gives the finisher the option of adjusting handle bracket position along the blade to their preference. Bracket fits clevis handles (page 58) and with adapters will accept button or threaded handles (see pages 22-24).

Square Ends

No.	Size
CC815	24"x3-1/4"
CC811	30"x3-1/4"

Round Ends

CC814	24"x3-1/4"
CC813	30"x3-1/4"
CC812	36"x3-1/4"



Extruded Magnesium Walking Float

With Multi-Twist™ Bracket

Bracket rotates 360° to work at any angle. Twist the handle to tighten and set angle. Adapters connect to push button or threaded handles. **Requires** bracket adapter, sold separately.

Round Ends with 2-Hole

No.	Size
CC814MT	24"
CC813MT	30"
CC812MT	36"



Multi-Twist™ Bracket Adapters

A) Push Button Handle Adapter

Connects to 1-3/8" and 1-3/4" button extension handles.

No. CC689*

B) Threaded Handle Adapter

Connects to all threaded bull float handles.

No. CC685*



CAUTION: Metal extension handles/adapters should not be used near electrical wiring

BULL FLOATS



Cali Mahogany Bull Floats

- Made of Asian Mahogany wood
- Smooth 3/4" thick wood face

"H" Bracket

- Handle bracket will accept Fresno/Broom adapter (CC295, page 24) for any size button handle, or Fresno Adapter (CC662, page 24) for threaded handles
- Float can also be fitted with a 5' or 6' clevis wood handle (order handles separately, page 58)

No.	Size
CC982	24"x7-1/4"
CC983	36"x7-1/4"
CC984	48"x7-1/4"

2-Hole Bracket Bar

- Steel "H" Style bracket supports float working surface
- Bracket Bar accepts any 2-hole fixed or tilt bracket float brackets (order brackets separately, pages 25-26)

No.	Size
CC981	24"x7-1/4"
CC985	36"x7-1/4"
CC986	48"x7-1/4"

Mini Magnesium Bull Float

- Lightweight and longer lasting than aluminum alloy
- Square ends float to corners
- Small sizes fit into tight places
- Unpainted for rugged use
- Fits all 4-hole brackets (sold separately, pages 25-26)

No.	Size
CC858-01	8"x8"
CC861-01	10"x8"
CC865-01	24"x8"

**GENUINE EXTRU-LITE™
MAGNESIUM**



Laminated Canvas-Resin Bull Float

- Long wearing 3/8" thick canvas-resin float
- Rounded ends and "broken-in" shape
- Heavy-duty 1/8" thick 4" wide C-Channel for extra rigidity
- Fitted with our exclusive EZY-Tilt® II (CC294) handle bracket

No.	Size
CC785	48"x7"

Add "01" after part number for float without bracket



**IDEAL FOR
DECORATIVE CONCRETE
APPLICATIONS**

Narrow Bull Floats

- Float can be fitted with a 5' or 6' clevis wood handle (order handles separately, page 58)
- Can also use adapters for extension handles (page 24)

Cali Mahogany Bull Float

- Made of Asian Mahogany wood
- Smooth 3/4" thick wood face

No.	Size
CC847-24	24"x4"
CC847-30	30"x4"

Canvas-Resin Bull Float (not shown)

- Long-wearing 3/8" thick laminated canvas-resin float
- Square ends with rounded corners

No.	Size
CC848	24"x5"



Laminated Wood Bull Floats

4-Hole Bracket

- Long lasting, laminated float with bracket
- 1-3/4" thick; with reinforced ends
- Available with 4-hole threaded bracket, EZY-Tilt® II (CC294) Bracket or "H" bracket

Square End


No.	Size
CC781	36"x7"
CC782	48"x7"
CC783	60"x7"
CC784	48"x7" (EZY-Tilt® II Bracket)
CC782H	48"x7" (With "H" Bracket)

Round End

No.	Size
CC782RE	48"x7"
CC784RE	48"x7" (EZY-Tilt® II Bracket)



Brass threaded inserts for superior strength



Bronze Bull Float Groover Bit

Use bull float as groover. Attaches with two thumbscrews. Mount as many groovers as needed. Works on 8" wide bull floats.

No.	Radius	Bit Depth	Width
CC940	1/4"	3/4"	1/2"
CC941	1/4"	1"	1/2"
CC942	1/4"	1-1/2"	1/2"
CC943	1/4"	2"	1/2"



EZY-TOTE TOOL CARRIER™




Step 1 Choose Float

Choose between our Square and Round End Magnesium Bull Floats or Round End Magnesium Channel Float. See noted pages for individual product information.



Step 2 Choose Bracket

Choose between three bull float brackets: EZY-Tilt® II, Knucklehead® II, or the Orbit-er™. See noted pages for individual product information.



Step 3 Choose Handle

Selection includes four 6' Blue Anodized Aluminum Extension Handles. Choose between 1-3/8" diam. or 1-3/4" diam. Both fit with available tilt brackets. See noted pages for individual product information.



A) Square End Magnesium Bull Float (CC802-01)
Page 27

B) Round End Magnesium Bull Float (CC803-01)
Page 27

C) Round End Magnesium Channel Float (CC044-01)
Page 29

A) EZY-Tilt® II Bracket (CC294)
Page 25

B) Knucklehead® II Bracket (CC296)
Page 25

C) Orbit-er™ Bracket (CC270)
Page 25

6' Anodized Aluminum Button Extension Handle, 1-3/8" diam. (CC336B)
Page 23

6' Anodized Aluminum Button Extension Handle, 1-3/4" diam. (CC289SB)
Page 23

No Substitutions – Order bag (CC1001) and products separately to create a customized kit.

EZY-TOTE TOOL CARRIER™

EZY-Tote Tool Carrier™ with Square End Bull Float

Includes EZY-Tote Tool Carrier™ (CC1001), Float, Bracket, and Four 6' Handles

Float	48" Square End Magnesium Bull Float (CC802-01)					
Bracket	EZY-Tilt® II (CC294)		Knucklehead® II (CC296)		Orbit-er™ (CC270)	
Handle	1-3/8" diam. (CC336B)	1-3/4" diam. (CC289SB)	1-3/8" diam. (CC336B)	1-3/4" diam. (CC289SB)	1-3/8" diam. (CC336B)	1-3/4" diam. (CC289SB)
Part No.	CC1002	CC1003	CC1004	CC1005	CC1006	CC1007



NEW

EZY-Tote Tool Carrier™ with Round End Bull Float

Includes EZY-Tote Tool Carrier™ (CC1001), Float, Bracket, and Four 6' Handles

Float	48" Round End Magnesium Bull Float (CC803-01)					
Bracket	EZY-Tilt® II (CC294)		Knucklehead® II (CC296)		Orbit-er™ (CC270)	
Handle	1-3/8" diam. (CC336B)	1-3/4" diam. (CC289SB)	1-3/8" diam. (CC336B)	1-3/4" diam. (CC289SB)	1-3/8" diam. (CC336B)	1-3/4" diam. (CC289SB)
Part No.	CC1008	CC1009	CC1010	CC1011	CC1012	CC1013



NEW

EZY-Tote Tool Carrier™ with Round End Channel Float

Includes EZY-Tote Tool Carrier™ (CC1001), Float, Bracket, and Four 6' Handles

Float	48" Round End Magnesium Channel Float (CC044-01)					
Bracket	EZY-Tilt® II (CC294)		Knucklehead® II (CC296)		Orbit-er™ (CC270)	
Handle	1-3/8" diam. (CC336B)	1-3/4" diam. (CC289SB)	1-3/8" diam. (CC336B)	1-3/4" diam. (CC289SB)	1-3/8" diam. (CC336B)	1-3/4" diam. (CC289SB)
Part No.	CC1014	CC1015	CC1016	CC1017	CC1018	CC1019



NEW




EZY-Tote Tool Carrier™

Durable nylon bag compactly carries all the tools you need for a float job. Five exterior pockets the user's tools while allowing space to secure your phone and keys. Four elastic pockets conform around the contents for a reliable fit. The fifth pocket has a flap closure secured by Velcro. Inside the bag 2 mesh pockets zip; 2 more large interior pockets have a flap closure secured with Velcro. One of the pockets features stitched dividers that can fit narrow handles and pencils. The bag features plastic straps, metal snaps, and Velcro closures to secure the tools and the bag during transport. A padded adjustable strap allows for balanced carrying.

No. CC1001*

FRESNO TROWELS



Add "B" after part no. for Blue Steel

All-Angle Steel Fresno Trowels

Carbon Steel or Blue Steel

- Made of high quality tempered steel for a perfect finish
- 360 degree all-angle bracket lets you to set at any angle
- Available in round or square end
- Use fresno adapters for handle attachment (page 24)
- Attach bronze fresno groover attachment for grooving

Round End

No.	Size
CC849	24"x5"
CC850	30"x5"
CC851	36"x5"
CC852	42"x5"
CC853	48"x5"

Square End

No.	Size
CC906	24"x5"
CC907	30"x5"
CC908	36"x5"
CC909	42"x5"
CC910	48"x5"



Fresno Trowel With Swivel Bracket

Carbon Steel or Blue Steel

- Made of high-quality tempered steel with square steel mounting
- 360 degree swivel bracket lets you work at any angle
- Round end fresno eliminates marking or gouging slabs
- Bracket to be used with clevis handles (page 58)
- Fresno handle adapters and fresno groover attachments also available (page 33)

Round End

No.	Size
CC618	18"x5"
CC624	24"x5"
CC630	30"x5"
CC636	36"x5"
CC642	42"x5"
CC648	48"x5"

Add "B" after part no. for Blue Steel

CC552 Replacement Swivel Bracket

Fresno Trowel with Adjustable Tooth Bracket

Carbon Steel or Blue Steel

- Made of high quality tempered steel for a perfect finish
- Uniquely designed bracket (CC665) has teeth to keep handle at set angle without slippage
- Use with threaded handles or add "BT" for use with snap handle bracket

Round End

No.	Size
CC820	24"x5"
CC821	30"x5"
CC822	36"x5"
CC823	42"x5"
CC824	48"x5"


Square End

No.	Size
CC825	24"x5"
CC826	30"x5"
CC827	36"x5"
CC828	42"x5"
CC829	48"x5"

Add "B" after part no. for Blue Steel



Add "BT" after part number for button fresno bracket (CC666)



Fresno Trowel With EZY-Tilt® Bracket

Carbon Steel or Blue Steel


- Quality tempered steel blade with square steel mounting
- EZY-Tilt® bracket eliminates bending and lifting. Controls blade pitch with turn of handle
- Bracket features quick and easy coupling for either 1-3/4" button handle or 1-3/8" button handle

Only EZY-Tilt® bracket (CC290) fits this fresno

No.	Size
CC830	24"x5"
CC831	30"x5"
CC832	36"x5"
CC833	42"x5"
CC834	48"x5"
CC835	60"x5"

Add "B" after part no. for Blue Steel

Add "01" after part no. for fresno without bracket



CAUTION: Metal extension handles should not be used near electrical wiring

Proudly Made In The USA

7" Wide Blue Steel Fresno**40% More Finishing Area**

- Made of high quality tempered flexible blue steel blade
- Round ends and wider working surface prevent marking and gouging while creating a smooth finish
- Includes Knucklehead® II bracket (CC296), but can be used with any tilting bracket (page 25-26)
- 7" wide blade allows user to finish close to walls and obstruction without bracket interference


No.	Size
CC840B	36"x7"
CC841B	48"x7"
CC842B	60"x7"

Add "01" after part no. for fresno without bracket

**Round End Fresno with Edger**

- Finish and edge in one pass
- Carbon steel blade with 1/2" radius edger on one end
- Great tool for sidewalks and decorative concrete
- 360 degree swivel bracket lets you work at any angle
- Fresno groover bits can also be added

No.	Size	Radius
CC618FE	18"x5"	1/2"
CC624FE	24"x5"	1/2"
CC630FE	30"x5"	1/2"
CC636FE	36"x5"	1/2"
CC642FE	42"x5"	1/2"
CC648FE	48"x5"	1/2"

**Bronze Fresno Trowel Groover Bits**

Change your fresno into a long-handled groover by simply turning the two thumbscrews. Use more than one to make parallel grooves. 1/4" radius. Fits 5" wide fresnos.

No.	Bit Depth
CC622	1/4"
CC623	1/2"
CC625	3/4"
CC626	1"

**Center Line Groover**

Groover is adjustable on any 5" wide fresno. Leaves a clear, fine line in concrete. Slide groover to proper position and tighten. Great for decorative concrete applications. (Fresno not included.)

No.	Size
CC013*	1/4"

**EZY-Tilt® Fresno/Broom Adapter**

Accepts 1-3/8" and 1-3/4" diameter button handles to fit fresnos, brooms, walking edgers and groovers.

No. CC295

**Fresno Bracket**

360° all-angle bracket. Toothed bracket tightens to set and keep a desired angle. Made from cast aluminum for longer wear.

No.	Bracket (w/Hardware)
CC298	Top Half (Only)
CC288	Bottom Half (Only)
CC300	

Hardware included with CC298 only

Fresno Adapter

Adapts fresnos, brooms, walking edgers and groovers to fit threaded bull float handles.

No. CC662

**Fresno Float Weight**

Fits securely over the 1/2" fresno bar. 5 lb. iron weight. Using 2 for balance is recommended.

No. CC755 (Each)



CAUTION: Metal extension handles should not be used near electrical wiring

*See page 178

Proudly Made In The USA

SPECIALTY FLOATS AND FRESNOS

Multi-Trac Bull Float Groover with Knucklehead® II Bracket

Cuts clean sharp grooves every time

- Ideal for: Streets, Highways, Off Ramps, Safety Ramps and Bridges
- Produces a uniform sharp groove in various concrete applications where water drainage and traction are critical.
- **All floats: groove depth and width 1/4" x 1/4"**
- Includes Knucklehead® II bracket (CC296)


No.	Float Size	Spacing
CC789	24"x8"	1/2"
CC788	36"x8"	1/2"
CC787	48"x8"	1/2"
CC792	24"x8"	3/4"
CC791	36"x8"	3/4"
CC790	48"x8"	3/4"
CC798	24"x8"	1"
CC797	36"x8"	1"
CC796	48"x8"	1"
CC795	24"x8"	2-1/4"
CC794	36"x8"	2-1/4"
CC793	48"x8"	2-1/4"

Add "01" after part no. for float without bracket

Use with any Kraft Tool Double Tilt Action float bracket



Cuts clean sharp grooves every time



Bottom view

End view

**GENUINE EXTRU-LITE™
MAGNESIUM**

Stainless Steel Multi-Trac Fresno

Cuts clean sharp grooves

every time

- Cuts clean sharp safety grooves
- Grooves are 1/4" wide by 1/4" deep
- Fitted with a threaded tilting handle bracket (CC665)

Size 24"x5"

No.	Groove Spacing
CC875	3/4"
CC876	1"
CC874	1-1/2"


Size 36"x5"

No.	Groove Spacing
CC878	3/4"
CC880	1"
CC877	1-1/2"

Size 48"x5"

No.	Groove Spacing
CC889	3/4"
CC890	1"
CC888	1-1/2"

Add "BT" after part number for button fresno bracket (CC666)



Barrier Trowel

Great for making safety grooves. Carbon steel blade with rounded corners. Comes with 5' wood handle (CC386). Use with fresno groover attachments to adjust for bit size, depth and spacing. Order groover bits separately (page 33).

No.	Size
CC628	13-1/2"x5"
CC629	15"x5"

Add "01" after part no. for trowel without handle




Bronze Groover Bits

No.	Depth
CC622	1/4"
CC623	1/2"
CC625	3/4"
CC626	1"



Order bits separately



SCREEDS



The Original Screed Bracket™

- Patented angle is designed to give you the most comfortable working angle when pushing or pulling.
- Maximizes movement efficiency and reduces fatigue by covering more surface area with less effort.
- Comfortably stand instead of kneeling. Less strain on back and knees, and keeps hands out of concrete.
- Quickly and easily attach to screeds or two-by-four boards measuring 1-1/2" thick (not included). For best results, use 4-8 foot screeds.
- Requires eight 1" coarse thread drywall screws to attach brackets to screed or board (not included).

No. CC502 (Pair)



The Original Screed Bracket™ can be used on wood or metal screeds up to 1-1/2" thick (shown on Redwood Striker™ Straightedge/Screed, page 39).

Magnesium Screed 30% Lighter than other aluminum screeds

Screeds are made of Genuine Extru-Lite™ Magnesium. These screeds are built for strength and rigidity but lightweight enough for those big jobs. Ends are plastic-capped to prevent concrete from building up inside. Extra end caps are available.

**GENUINE EXTRU-LITE™
MAGNESIUM**



Easy Grip

1"x4"

No.	Size
CC506	6'
CC508	8'
CC510	10'
CC512	12'
CC514	14'
CC516	16'
(1"x4" shipped 2 per carton)	

1-1/2"x3-1/2"

No.	Size
CC606	6'
CC608	8'
CC610	10'
CC612	12'
CC614	14'
CC616	16'
CC619	18'
CC620	20'
CC621	24'

2"x4"

No.	Size
CC406	6'
CC408	8'
CC410	10'
CC412	12'
CC414	14'
CC416	16'
CC417	20'
CC418	26'

2"x5"

No.	Size
CC419	16'
CC420	20'
CC424	24'
CC426	26'

Screeds 10' or longer must ship via truck

STRIKER™ Screeed

Made of 100% Aluminum Alloy
Gold Anodized



Easy Grip

1"x4"

No.	Size
CC506AL	6'
CC508AL	8'
CC510AL	10'
CC512AL	12'
CC514AL	14'
CC516AL	16'
(1"x4" shipped 2 per carton)	

1-1/2"x3-1/2"

No.	Size
CC606AL	6'
CC608AL	8'
CC610AL	10'
CC612AL	12'
CC614AL	14'
CC616AL	16'
CC619AL	18'
CC620AL	20'

2"x4"

No.	Size
CC406AL	6'
CC408AL	8'
CC410AL	10'
CC412AL	12'

2"x5"

No.	Size
CC419AL	16'
CC420AL	20'
CC424AL	24'


Screeds 10' or longer must ship via truck



Screed Handles

Lightweight aluminum handles adapt to any screed size. Drill holes and attach with hardware.

No. CC503 (Pair)



STRAIGHTEDGES



All straightedges feature a quick release pin on braces

Magnesium Super Flat Paver's Straightedge

"Bump Cutter"

Durable, accurate straightedge and checking tool lets user produce a flat, even surface. Plugged ends eliminate build-up in tool. Knucklehead® II bracket (CC296) adjusts blade to fill and level uneven areas. Comes complete with braces, 10' aluminum button handle (CC291), and roller bearing collar for easy adjustments.

No.
CC708**
CC714**
CC716**
CC720**

Size
8'
10'
12'
16'

**GENUINE EXTRU-LITE™
MAGNESIUM**

**Must ship via truck



Aluminum Paver's Straightedge

A lightweight, durable, and accurate straightedge and checking tool. Easy to handle, which makes inspection easy. Plugged ends eliminate build-up in tool. Comes with 10' magnesium threaded handle (CC228) and braces.

No.
CC710**
CC712**

Size
10'
12'

Blade Only

No.
CC710-03**
CC712-03**

Size
10'
12'

**Must ship via truck



Magnesium Paver's Straightedge

An excellent checking tool. It is a lightweight, durable, and accurate straightedge. Easy to handle, which makes inspection of slabs easy. Magnesium construction is 30% lighter than aluminum. Plugged ends eliminate build-up in tool. Comes with 12' magnesium threaded handle (CC229) and braces.

No.
CC561**
CC562**

Size
10'
12'

**Must ship via truck

**GENUINE EXTRU-LITE™
MAGNESIUM**



Round End Mag Check Rod

Cut down high spots and ridges, or move materials to low areas with this adjustable square edge tool. Round ends prevent marking. Magnesium construction is 30% lighter than aluminum. Plugged ends eliminate build-up in tool. Comes complete with braces, 10' aluminum button handle (CC291), Knucklehead® II bracket (CC296) and roller bearing collar for easy tool adjustment.

No.
CC717**
CC718**
CC709**

Size
8'
10'
12'

**Must ship via truck

**GENUINE EXTRU-LITE™
MAGNESIUM**

